

Tankered Waste Application Guidelines

Who needs a Tankered Waste Consent?

Tankered Waste acceptable without a Tankered Waste Consent is collected from known sources which have a characterised chemical profile. The tankered waste contractors must declare this in their docket books. Any tankered waste that is not declared to meet the following criteria (Table 1) must apply for a Tankered Waste Consent.

The responsible person for the tankered waste must apply for and receive a Tankered Waste Consent prior to the tankered waste being delivered to a wastewater treatment plant.

How do I apply for a Tankered Waste Consent?

To seek permission for tankered waste to be received at a Wastewater Treatment Plant, the person responsible for the waste must submit an application for a Tankered Waste Consent using a Tankered Waste Consent Application Form which can be found on our website www.southernwatertas.com.au under the 'Your Business' tab, then by following the 'Liquid Trade Waste' heading.

If you do not have access to the internet, you can call Southern Water to request a Tankered Waste Information Package on 136 992 or MYWATER.

Where do I send my application?

Please send all completed Tankered Waste Consent application forms and accompanying material to:

Email : tradewaste@southernwatertas.com.au

Fax: 6273 9205

Mail: Southern Water Trade Waste

PO Box 1060

Glenorchy TAS 7010



TABLE 1: Waste Type Definition

- Grease Arrestor Waste from commercial or residential sources
- Septic or Sewage Waste pumped from residential septic tanks or onsite treatment systems. This waste classification may include some residential grease trap liquid waste.
- Septic or Sewage Waste from commercial sources including portable toilets or public facilities.
- Long Drop Waste - Parks and Wildlife long drop waste must go to Prince of Whales Wastewater Treatment Plant or Macquarie Point Wastewater Treatment Plant
- Waste pumped from wash bays or solid separators known to fulfil the criteria for level 1 waste in Information Bulletin 105 Table 2. Maximum allowable concentration of petroleum hydrocarbons is 30mg/L. Waste must go to Prince of Whales Wastewater Treatment Plant or Macquarie Point Wastewater Treatment Plant only.
- Grey Water from industrial sites to include storm water, wash water and ballast water from ships that does not include sewerage. The maximum allowable petroleum hydrocarbon concentration is 30mg/L.



water is our life. yours too.

Tankered Waste Application Guidelines

THE NOTES BELOW ARE DESIGNED TO HELP YOU COMPLETE THE TANKERED WASTE APPLICATION FORM

The numbers below correspond to the numbered questions on the Tankered Waste Application Form.

1. Please state the registered trading name of the business and/or contractor that produced the waste.
2. Include the site address at which the liquid waste was produced.
3. Write a brief description of the type of industry or business on the site, e.g. paint booth, fish processor, food manufacturer. If known, you can include the ANZSIC code of your business (Please visit <http://www.abs.gov.au> for more information on ANZIC codes)
4. Provide the details of the company or individual(s) responsible for producing the waste. Full names are required. Please advise if you are the property owner, or if you have permission from the property owner to apply for a Tankered Waste Consent as their agent.
5. Provide the details of the company or individual(s) requesting a Tankered Waste Consent to discharge to the sewer. Full names are required. This will be the address to which the accounts will be sent.
6. The name and contact details of the person responsible for the management of trade waste on the site should be entered. This person should be available both in business hours and after hours, and for trade waste emergencies. Please also provide an alternative emergency contact.
7. Provide a description of the liquid waste that you are requesting to be transported to the wastewater treatment plant. Ensure that you attach the relevant information.
8. Provide a description of what pre-treatment, if any, of the liquid waste has occurred.
9. This section provides the information that will allow Southern Water to assess if the liquid waste is acceptable as a waste to be discharged at a wastewater treatment plant. It is important that you provide as much information as you have in this section. Further information or analysis of the waste may be required by Southern Water before an application can be considered.
10. Who is the contractor that you propose to move the liquid waste to the wastewater treatment plant?
11. Prior to the application being assessed, the application must be signed and dated by the Business Owner or a person authorised by the Business Owner(s).
12. Please ensure that the application checklist has been completed and that you have included any additional relevant information as required by Southern Water.



water is our life. yours too.